

Current IMS Database



DS Group

Invention Database



Layout of Segment in Directory Dataset

| Segment P | refix <u>26</u> | Segment Data 28 | | | |
|-------------|-----------------|-----------------|----------|--------------|--|
| Seg Code & | Prefix Pointers | Pointer to | Metadata | | |
| Delete Byte | 32 | Seg Data | Seg Key | Born-On-Date | |

Figure 2A. Split Segment Composition – Prefix Portion with Metadata in segment data portion

Layout of Segment in Segdata Dataset

| Segment P | refix <u>26</u> | | Seg Data |
|-------------------------|-----------------|----------------------|------------|
| 30 Seg Code & | Prefix Pointers | Metadata | Pointer to |
| Delete Byte | 32 | Seg Key Born-On-Date | Seg Data |

Figure 2B. Split Segment Composition – Prefix Portion with Metadata in segment prefix portion

Layout of Segment in Segdata Dataset

| Segment Prefix <u>40</u> | Segment Data <u>42</u> | Trans- parentyy | |
|-----------------------------|------------------------|--------------------|--|
| Seg code & delete byte | User Data | Born on Date 50 | |

Fig. 3

T

ũ ļ.u.i.

```
DD1=DFSIVD1, SIZE=2048, UOW= (500, 50, 10)
DIR
DATASET DD1=DFSIVD1A, DEVICE=3380, SIZE=2048
      NAME=A1111111, PARENT=0, BYTES=40, RULES=(LLV, LAST), PTR=(TB, CTR)
FIELD NAME=(A1111111, SEQ, U), BYTES=010, START=00001, TYPE=C
FIELD NAME=A9999999, BYTES=010, START=00011, TYPE=C
LCHILD NAME=(A1, IVPDB1I), POINTER=INDX, RULES=LAST
LCHILD NAME=(A1X, IVPDB1X), POINTER=INDX
XDFLD NAME=AXXXXXXX, SEGMENT=A1111111, SRCH=(A9999999)
LCHILD NAME=(C1X, IVPDB1Z), POINTER=INDX
XDFLD NAME=CXXXXXXX,SEGMENT=C1111111,SRCH=(C9999999)
DATASET DD1=DFSIVD1B, DEVICE=3380, SIZE=4096
       NAME=B1111111, PARENT=A1111111, BYTES=(1000,50),
                                                                        Χ
SEGM
              RULES = (LLV, LAST), PTR = (TB)
FIELD NAME=(B1111111, SEQ, M), BYTES=010, START=00003, TYPE=C
FIELD NAME=/SXB1
LCHILD NAME=(B1X, IVPDB1Y), POINTER=INDX
XDFLD..NAME=BXXXXXXX,SEGMENT=B1111111,SRCH=(B1111111),SUBSEQ=(/SXB1)
DATASET DD1=DFSIVD1C, DEVICE=3380, SIZE=8192
       NAME=C1111111, PARENT=B1111111, COMPRTN=(DFSKMPX0, DATA, INIT),
SEGM
              RULES = (LLV, LAST), PTR = (TB), BYTES = (8000, 50)
FIELD NAME=(C1111111, SEQ, U), BYTES=010, START=00003, TYPE=C
FIELD NAME=C9999999, BYTES=010, START=00011, TYPE=C
```

DIRGEN

DBDGEN FINISH END

Figure 4A Sample HIDAM DBD

X

Х

DIR DD1=DFSIVD2, UOW=(100, 10)

DATASET DD1=DFSIVD2A, DEVICE=3380, SIZE=2048

SEGM NAME=A1111111, PARENT=0, BYTES=40, RULES=(LLL, LAST),

COMPRIN= (DFSKMPX0, DATA, INIT)

FIELD NAME=(A1111111, SEQ, U), BYTES=010, START=00001, TYPE=C

DATASET DD1=DFSIVD2B, DEVICE=3380, SIZE=4096

SEGM NAME=B1111111, PARENT=A1111111, BYTES=(1000,50),

RULES=(LLV, LAST), PTR=(TB)

FIELD NAME=(B1111111, SEQ, U), BYTES=010, START=00003, TYPE=C

DATASET DD1=DFSIVD2C, DEVICE=3380, SIZE=8192

SEGM NAME=C1111111, PARENT=B11111111, COMPRTN=(DFSKMPX0, DATA, INIT),

RULES=(LLV, LAST), PTR=TB, BYTES=8000

FIELD NAME=(C1111111, SEQ, U), BYTES=010, START=00001, TYPE=C

DIRGEN

DBDGEN

FINISH

END

Figure 48 Sample HDAM DBD




Figure 5 Secondary Index Architecture




Figure 6 Secondary Index Before Reorganizing




Figure 7 Secondary Index After Reorganizing




Figure & Retrieving a Target Segment via a Secondary Index




Figure 9 Correcting Direct Pointer in a Secondary Index




Figure 10 Saving the Database Definition at DB Load Time




Figure 11 Checking the Database Definition at DB Processing Time




Figure 12. Unit Of Work (UOW) Architecture




Figure 13. HDAM UOW Architecture




Figure 14. HIDAM UOW Architecture




Figure 15. Prime & DOVF Block Composition




Figure 16. IOVF Block Composition




Figure 17 Block Composition Using IMS' Space Management

| 144 | 144. | 144 | 144 | 148 | 142 | 14: | L . 146 |
|---------------|---------------|---------------|---------------|------------|---------------|---------------|------------|
| Dep Seg#11 | Dep Seg#12 | Dep Seg#21 | Dep Seg#22 | Free Space | Root Seg#2 | Root Seg#1 | < |

Figure 18 Block Composition Using Invention's Space Management




Figure 19 Space Management at Database Load Time




Figure 20 Space Management at Database Update Time




Figure 21. Space Management at Database Load Time




Figure 22. Space Management at Database Update Time